Exhibit 3.8

Information Requests No. 47, 49

CONFIDENTIAL BUSINESS INFORMATION

Pursuant to 40 CFR Part 2, Subpart B, Monsanto Company hereby asserts a business confidentiality claim covering this Exhibit and all documents attached thereto.

Monsanto

R.A. Kimmerle - U4E



PROM (NAME-LOCATION	-Provid	B.S. Yare (694-6370)	MCC Envi	ronmental Systems	F2WJ	
DATE	:	May 4, 1990	œ:	B.M. Hughes - U4E G.W. Mappes - U1F		
SUBJECT	:	Sector B Sediment and Soil Sampling	ng	W.L. Smull - G4WM	4	47
REFERENCE	:	NA		N. Valkenburg - G&M		

Geraghty and Miller may be collecting 180 sediment and soil samples in Sector B of Dead Creek. Up to 36 additional samples may be submitted for QA/QC analyses, e.g. duplicates and trip blanks. Analytical support is needed from ESC to insure accurate and timely characterization of these samples. The following analyses and detection limits are required:

<u>ORGANICS</u>	DETECTION LIMIT
Volatiles Semi-Volatiles PCBs Dioxins	1 ppm 10 ppm 1 ppm 1 ppb
METALS	•
Arsenic Cadmium Chromium Copper Lead Mercury Phosphorous Nickel Selenium Thallium Zinc	1 ppm 1 ppm
CYANIDE	1 ppm
INDICATORS	
Total Ion Chromatograms.	10 ppm
Elemental Analysis	\$ 2
Carbon Total Chlorine Organic Chlorine	`~ % % %

MCA C156797

The volatile and semivolatile analyses must be capable of detecting the halogenated organic compounds listed in Attachment 1.

Paint filter tests and analyses for ignitability, corrosivity, reactivity and EP toxicity are also required for these samples. If a sample fails the paint filter test, analysis of the filtrate for the following parameters will be required:

PARAMETER	DETECTION LIMIT		
Arsenic	500 ppm		
Cadmium	100 ppm		
Chromium	500 ppm		
Lead	500 ppm		
Mercury	20 ppm		
Nickel	134 ppm		
Selenium	100 ppm		
Thallium	130 ppm		
Cyanide	1000 ppm		

The results of this testing should be summarized as shown in Attachment 2. Actual analytical results should be summarized in tabular form and included as an appendix to a report describing methods, procedures and results. All data will be supplied to Geraghty and Miller on diskettes in a compatible spread sheet or data base format for use in removal volume determinations. All lab reports must be included as an appendix to this report.

ESC will need to prepare a Quality Assurance Project Plan detailing the methods and procedures to be used in conducting these analyses. This plan must take current regulatory guidance into consideration. Method development samples may be supplied to ESC by Geraghty and Miller in early May.

Sampling may be done in late May and the analyses must be completed in 30 days. If you have any questions or need additional information, please call.

Bruce S. Yare

Attachment 1. California List Halogenated Organic Compounds. Sector B Sediment and Soil Sampling Program, Sauget, Illinois

VOISIONS
Bromodichlormethane
Bromomethane
Carbon Tetrachlonde
Chlorobenzene
2-Chloro-1. 3-butaciene
Chlorodibromethene
Chloroethane
2-Chlorosthyl vinyl ether
Chloroform
Chioromethane
3-Chloropropene
1,2-Dibromo-3-chioropropen
1,2-Dibromomethene
Dibromomethene
Trans-1,4-Dichloro-2-butene
Dichlorodifuoromethane
1.1-Dichloroethene
1.2-Dichloroethene
1,1-Dichlorosthylene
Trans-1.2-Dichloroethene
1,2-Dichlorgorgoene
Trans-1.3-Dichloropropene
icdomethene
Methylene chloride
1,1,1,2-Tetrachloroethane
1.1. 2.2-Tetrachloroethane
Tetrachiorosthene
Tribromomethene
1.1.1-Trichloroethane
1.1.2-Trichloroethene
Trichloroethene
Trichioromonoflouromethane
1.2.3-Trichloropropene
Vinyl chlonds
as-1,3-Dichloropropene
Garage Control of the
Organishindan Bestinidan

Organochiorin	e Peeticides
Aldnn	alpha-BHC
bets-8HC	detta-BHC
gamma-BHC	Chlordane
Ď 00	ODE
DOT	Dielann
Endosulian i	Endosultan II
Endna	Endnn aldehyde
Heptachlor	Heptachior epoxide
isodnn	Kepone
Methoxyclor	Toxaphene

PCBs	
Aractor 1016	Aroctor 1221
Aroctor 1232	Arocior 1242
Aroctor 1248	Arocior 1254
Arocior 1260	
PCBs not other	mse specified

Bis (2 Chlomothers wetters
Bis (2-Chloroethoxy)ethane
Bis (2-Chlorosthyl)ether
Bis (2-Chlorosopropyt) ether
p-Chloroentine
Chlorobenziete
p-Chloro-m-cresol
2-Chloronaphthalene
2-Chiorophenol
3-Chloropropionitrile
m-Dichloropenzene
o-Dichtorobenzene
p-Dichlorobenzene
3.3'-Dichlorobenzidine
2.4-Dichlorophenol
2.5-Dichlaraphenal
Hexachiorobenzene
Hexachiorobutadiene
Hexachlorocyclopentaciene
Hexachioroethane
Hexachloroprophene
Hexachloropropene
4,4'-Methyleneois
(2-Chloroenline)
Pentachiorobenzene
Pentachioroethane
Pentachiorontrobenzene
Pentachiorophenol
Pronamide
1,2,4,5-Tetrachlorobenzene
2.3,4.6-Tetrachlorophenol
1,2,4-Trichlorobenzene
2,4,5-Trichlorophenol
2.4.6-Trichlorophenol
Tris (2.3-dibromopropyi)
phosphate
P

Dioxine & Furans
Hexachtorodibenzo-p-dioxins
Hexachtorodibenzofuran
Pentachiorodibenzo-p-dioxins
Pentachiorodibenzoluran
Tetrachiorodibenzo-p-dioxins
Tetrachlorodibenzofuran
2.3.7.8-Tetrachlorodibenzo-p-
diaxon

Phenoxyacetic Acid Herbacides 2,4-Dichlorophenoxyacetic acid	B
Silvex	
2,4,5-T	

Attachment 2. California List Decision Matrix.
Sector B Sediment and Soli Sampling Program, Sauget, Illinois

PARAMETER	SAMPLE		
Paint Filter Test	Pass/Fail		
Filtrate:			
Arsenic Cadmium Chromium Lead Mercury Nickel Selenium Thallium Cyanide(free)	Pass/Fail Pass/Fail Pass/Fail Pass/Fail Pass/Fail Pass/Fail Pass/Fail Pass/Fail		
Ignitability	Pass/Fail		
Corrosivity	Pass/Fail		
Reactivity	Pass/Fail		
EP Toxicity	Pass/Fail		
PCBs	Pass/Fail		
HOOs .	Pass/Fail		

MCA (156800

BEGINNING

OF INOSE

(ENVIRONMENTAL INSURANCE LITIGATION MATERIALS)

DO NOT DESTROY OR REMOVE WITHOUT SPECIFIC AUTHORIZATION FROM THE LAW DEPARTMENT. CALL 314-694-6060 OR 314-694-6032 FOR

DOCUMENTON.

DOCUMENTON.

COLLECTION

SOIL FROM THE SAMPLES
TOOSE GOCS?

MEASUREMENT OF SELECTED CHEMICALS IN SOIL FROM THE DEAD CREEK SITE ILLINOIS EPA SPLIT SAMPLES

INTRODUCTION

Following media reports and subsequent Illinois EPA concern about hazardous chemicals at the Dead Creek site near Sauget, Illinois, personnel from Monsanto's W. G. Krummrich Plant and the Illinois EPA sampled several areas at the site and split the samples. The Monsanto samples were submitted to Environmental Sciences for characterization. Monsanto's concerns about the site arose from reports of high levels of polychlorinated biphenyls and phosphorus, as well as the reported presence of other chemicals, and the proximity of the site to the Krummrich Plant. These samples were taken to give both Monsanto and the Illinois EPA opportunity to confirm the reported levels found in earlier samplings by the Illinois EPA. In addition to polychlorinated biphenyls and phosphorus, several other "families" of chemicals were measured to try to identify or eliminate possible sources of the chemicals at the site.

SUMMARY

Three sediment samples and one well water sample were taken on October 2, 1980 by Monsanto and IEPA representatives. The Monsanto samples were transferred to our laboratory and analyzed for polychlorinated biphenyls, elemental phosphorus, chlorobenzenes, chlorophenols, phosphate esters, and metals (including arsenic and inorganic phosphorus). No elemental phosphorus was detected in any of the samples, which implies that phosphorus is not responsible for the "smoking earth" reported at the site. In addition, no organic chemicals were detected above the detection limits in the well water sample. However, varying amounts of the organic chemicals and metals were measured in the soil samples. One sample contained higher levels of polychlorinated biphenyls and other organic compounds, while the other two samples contained higher levels of metals. The results clearly indicate non-uniform contamination at the Dead Creek site.

DETAILS

Sampling

The three soil and one water samples were collected by Monsanto W. G. Krummrich plant personnel and IEPA personnel and split at the site. The Monsanto samples were transferred to the Environmental Analysis Group. In our laboratory, the sediment samples were handled according to Standard Operating Procedure (SOP) EAN-80-SOP-6, Homogenizing, Subdividing and Preserving Sediment Samples. Portions of the soil samples were transferred to Applied Sciences for the determination of metals and arsenic.

MCA 00 23926

Analytical Procedures

The three soil samples were analyzed for a variety of chemicals using established procedures or methods developed and validated for the chemicals of interest in soil. The following list tabulates the methods which were used.

Analyte	Method No.	Title
Polychlorinated Biphenyls	ES-80-M-28	Determination of Polychlorinated Biphenyls in Soil and Sediment
Chlorinated Benzenes	ES-80-M-29	Determination of Chlorinated Benzenes in Soil and Sediment
Chlorinated Phenols	ES-80-M-30	Determination of Chlorinated Phenols in Soil and Sediment
Elemental Phosphorus (P ₄)	ES-80-M-24	Determination of Elemental Phosphorus (P4) in Soil and Sediment
Phosphate Esters	ES-80-M-5	Determination of Group I Compounds in Sediments
Metals	Ref. 1, 2	Inductively Coupled Plasma (ICP) Method for Trace Element Analysis of Water and Wastes
Arsenic	Ref. 3	Methods for Chemical Analysis of Water and Wastes-Arsenic

All determinations were carried out in strict accordance with these methods, except that the polychlorinated biphenyls, chlorinated benzenes and phosphate esters were measured in extracts from acidified samples to facilitate determination of chlorinated phenols in the same extracts.

The water sample was extracted in accordance with SOP EAN-80-SOP-19, Extraction of Semivolatile Organic Compounds from Water. The levels of polychlorinated biphenyls and phosphorus were determined using the analytical conditions specified in the respective method for soils listed above.

Results

The analytical results for this study are tabulated in Tables I-VI. Each table contains the results for all of the samples for a specific group of compounds. All results for the soils are in ppm (parts per million or $\mu g/g$). The results for the water sample are in ppb (parts per billion, ng/g). In general, the stated detection limits are the lowest level at which a given measurement was validated. Levels which are apparently real, but which are below the validated detection limit are presented in parentheses.

Protected Material: Monsanto insurance Coverage Litigation

e je

Quality Assurance

The quality assurance results (i.e., recovery and precision evaluations) for these samples have been compiled along with those of similar samples analyzed concurrently. These results are reported in Special Study ES-80-SS-27, Measurement of Selected Chemicals in Soil from the Dead Creek Site - Quality Assurance.

REFERENCES

- 1. Methods for Chemical Analysis of Waters and Wastes, EPA-600/4-79-020, page: Metals-6, Section 4.1.3.
- 2. Feberal Register, Vol. 44, No. 233, December 3, 1979.
- 3. Methods for Chemical Analysis of Waters and Wastes, EPA-600/4-79-020, Method 206-Arsenic, pages: 206.2-1 to 206.5-2.

TABLE I. PPM L	EVELS OF PCBs	AND ELEMENTAL PHOSP	HORUS (P4) IN	DEAD CREEK	SOIL AND WATER SAMPLES	
ANALYTE	ES LOG NO. DATE SAMPLED LOCATION	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	(Water) 0100307 10/2/80 Well at Theresa's Greenhouse, 101 Walnut, Sauget,IL.	0041701 4/16/80 Soil Blank Mo. Bottoms St.Charles,MO.
PCB's (Cl ₂ to Cl ₆ Homologs)		13,000	240	45	ND < 1 ppb	ND < 1
P_{t_k}		ND < 1	ND < 1	ND < 1	ND < 1 ppb	ND < 1

EPA/CERRO COPPER/EIL/PCB AITORNEY WORK PRODUCT / AITORNEY CLIENT PRIVILEGE

TABLE 11. PPM LEVELS OF CHLOROBENZENES IN DEAD CREEK SOIL SAMPLES

ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	0041701 4/16/80 Soil Blank Mo. Bottoms St. Charles, MO.
MONOCHLOROBENZENE	(0.9)	ND < 1	(0.3)	ND < 1
P-DICHLOROBENZENE	370	(0.3)	(0.4)	ND < 1
O-DICHLOROBENZENE	80	(0.6)	1.0	ND < 1
TRICHLOROBENZENES (3)	. 85	1.6	(0.7)	ND < 1
TETRACHLOROBENZENES (3)	6.1	2.4	(0.4)	ND < 1
PENTACHLOROBENZENE	ND < 1	ND < 1	ND < 1	ND < 1
HE XACHLOROBENZENE	ND < 1	1.2	ND < 1	ND < 1
NITROCHLOROBENZENES (0 P-)	120	ND < 1	ND < 1	ND < 1

^() Values in parentheses are below the validated detection limit. However, they represent levels detected with a S/N > 2.5 and can be considered semi-quantitative.

ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	0041701 4/16/80 Soil Blank Mo. Bottoms St.Charles.MO.
O-CHLOROPHENOL	3.7	ND < 1	ND < 1	ND < 1
P-CHLOROPHENOL	9.9	ND < 1	(6.0)	ND < 1
2,4-DICHLOROPHENOL	. 1.2	ND < 1	ND < 1	ND < 1
PENTACIILOROPIIENOL	130	ND < 1	1.8	NO < 1

() Values in parentheses are below the validated detection limit. However, they represent levels detected with a S/N >2.5 and can be considered semi-quantitative.

EPA/CERRO COPPER/EIL/PCB ATTORNEY WORK PRODUCT / ATTORNEY CLIENT PRIVILEGE

Ţ	ABLE	IV.	PPM	LEVELS	0F	PHOSPHATE	ESTERS	IN	DEAD	CREEK	SOIL	SAMPLES
`	·											

ES LOG NO. DATE SAMPLED LOCATION	0100301 10/2/80 40 yds south	0100303 10/2/80 268 paces	0100305 10/2/80 270 paces	0041701 4/16/80
LOCATION	of Queeny Ave.	south of	south of	Soil Blank Mo. Bottoms
ANALYTE	Center of Creek	0100301	0100303	St. Charles. MQ.
DIBUTYLPHENYL				
PHOSPHATE	330	ND < 1	(8.0)	ND < 1
BUTYLDIPHENYL				
PHOSPHATE	ND < 1	ND < 1	(8,0)	ND < 1
TRIPHENYL				·
PHOSPHATE	2600	ND < 1	ND < 1	ND < 1
A LTIM MENNY BLOVENNA	•	•	•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
2-ETHYLHEXYLDIPHENYL PHOSPHATE	ND < 1	ND < 1	2,2	ND < 1
	110 1	ND 1		ו > עון
ISODECYLDIPHENYL PHOSPHATE	ND < 1	ND < 1	ND < 1	ND < 1
THOSTIMIE	ND - 1	Mn > 1	NO V	ואָט < נ
T-BUTYLPHENYLDIPHENYL	28	ND . 1	AID 1	NO 1
PHOSPHATE	20	ND < 1	ND < 1	ND < 1
DI-T-BUTYLPHENYLDIPHENYL				
PHOSPHATE	ND < 1	ND < 1	ND < 1	ND < 1
NONYLPHENYI DIPHENYL				
PHOSPHATE	ND < 1	ND < 1	ND < 1	ND < 1
CUMYL PHENYL DI PHENYL	3.7	ND < 1	ND < 1	ND < 1
PHOSPHATE	3. ,	un > i	4D > 1	Mn < I

^() Values in parentheses are below the validated detection limit. However, they represent levels detected with a S/N >2.5 and can be considered semi-quantitative.

ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	0041701 4/16/80 Soil Blank Mo. Bottoms St.Charles,MO.
SILVER	ND <}	42	29	ND < 1
ALUMINUM	1400	5100	5300	5600
BARIUM	770	1200	1300	130
BERYLLIUM	ND < 1	MD < 1	ND < 1	NC < 1
BORON	28	160	100	27
CALCIUM	8500	9200	6200	4600
CADMIUM	5.1	60	55	3.9
OBVLL	15	180	120	33
HROMIUM	. 25	110	240	19
OPPER .	460	28,000	18,000	19
RON	4700	53,000	30,000	9900
AGNESIUM	460	2200	2000	2300
ANGANESE	29	170	110	510
OL YBDENUM	6.1	92	68	11
MUION	400	540	410	320
ICKET	110	2000	1700	39
EAD	180	2000	1600	50
HOSPHORUS	2500	13,000	9400	610
ALIMONA	13	240	160	29
IT I CON	73	150	89	110
N	18	260	220	18
RONTIUM	35	230	110	17
TANIUM	32	110	80	37
, muldyw	34	140	130	130
NC	280	32,000	18,000	56

THE INSURANCE COVERAGE LITTIGATION

619100

MCA

0023933

ANALY FE	ES LOG NO. DATE SAMPLED LOCATION	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100305	0041701 4/16/80 Soil Blank Mo. Bottoms \$t,Charles,MO.
P - ELEMENTAL, By GC/MS		ND < 1	ND < 1	ND < 1	L > ON
P-INORGANIC, By ICP		2500	13,000	9400	610
TOTAL PHOSPIIATE ESTERS, By GC/MS	SW/S	3000	ND < 10	4	ND < 10

MCA 0023934

Submitted by:

Monsanto Industrial Chemicals Company Environmental Sciences Section - NIE 800 North Lindbergh Boulevard St. Louis, Missouri 63166

פיז שליבים שייי

Robert G. Kaley, II Research Group Leader

Approved by:

James P. Mieure

Manager, Environmental Sciences

MEASUREMENT OF SELECTED CHEMICALS IN SOIL FROM THE DEAD CREEK SITE W. G. KRUMMRICH PLANT SAMPLINGS

INTRODUCTION

Following media reports and subsequent Illinois EPA concern about the hazardous chemicals at the Dead Creek site near Sauget, Illianois, personne's from Monsanto's W. G. Krummrich Plant sampled several areas at the site. Samples were submitted to Environmental Sciences for characterization. Monsanto's concerns about the site arose from reports of high levels of polychlorinated biphenyls and phosphorus, as well as the reported presence of other chemicals, and the proximity of the site to the Krummrich Plant. These samples were taken to give Monsanto opportunity to confirm the reported levels found in earlier samplings by the Illinois EPA. In addition to polychlorinated biphenyls and phosphorus, several other "families" of chemicals were measured to try to identify or eliminate possible sources of the chemicals at the site.

SUMMARY

Eight sediment samples were taken on August 29 (1), September 15 (2), and September 18 (5), 1980 by Monsanto W. G. Krummrich plant representatives. The samples were transferred to our laboratory for analysis. The samples were analyzed for polychlorinated biphenyls, elemental phosphorus, chlorobenzenes, chlorophenols, phosphate esters, and metals (including arsenic and inorganic phosphorus). No elemental phosphorus was detected in any of the samples, which implies that phosphorus is not responsible for the "smoking earth" reported at the site. Varying amounts of the organic chemicals and metals were measured in the soil samples. The results clearly indicate non-uniform contamination at the Dead Creek site.

DETAILS

Sampling

The eight soil samples were collected by Monsanto W. G. Krummrich plant personnel. The Monsanto samples were transferred to the Environmental Analysis Group. In our laboratory, the sediment samples were handled according to Standard Operating Procedure (SOP) EAN-80-SOP-6, Homogenizing, Subdividing and Preserving Sediment Samples. Portions of the soil samples were transferred to Applied Sciences for the determination of metals and arsenic.

Analytical Procedures

The eight soil samples were analyzed for a variety of chemicals using established procedures or methods developed and validated for the chemicals of interest in soil. The following list tabulates the methods which were used.

04652

Analyte	Method No.	Title
Polychlorinated Biphenyls	ES-80-M-28	Determination of Polychlorinated Bipnenyls in Soil and Sediment
Chlorinated Benzenes	ES-80-M-29	Determination of Chlorinated Benzenes in Soil and Sediment
Chlorinated Ph e nols	ES-80-M-30	Determination of Chlorinated Phenols in Soil and Sediment
Elemental Phosphorus (P4)	ES-80-M-24	Determination of Elemental Phosphorus (P_{\pm}) in Soil and Sediment
Phosphate Esters	ES-80-M-5	Determination of Group I Compounds in Sediments
Metals	Ref. 1, 2	Inductively Coupled Plasma (ICP) Method for Trace Element Analysis of Water and Wastes
Arsenic	Ref. 3	Methods for Chemical Analysis of Water and Wastes - Arsenic

All determinations were carried out in strict accordance with these methods, except that the polychlorinated biphenyls, chlorinated benzenes and phosphate esters were measured in extracts from acidified samples to facilitate determination of chlorinated phenols in the same extracts.

Results

The analytical results for this study are tabulated in Tables I-VI. Each table contains the results for all of the samples for a specific group of compounds. All results for the soils are in ppm (parts per million or g/g). In general, the stated detection limits are the lowest level at which a given measurement was validated. Levels which are apparently real, but which are below the validated detection limit are presented in parentheses.

Quality Assurance

The quality assurance results (i.e., recovery and precision evaluations) for these samples have been compiled along with those of similar samples analyzed concurrently. These results are reported in Special Study ES-80-SS-27, Measurement of Selected Chemicals in Soil from the Dead Creek Site - Quality Assurance.

REFERENCES

- 1. Methods for Chemical Analysis of Waters and Wastes, EPA-600/4-79-020, page: Metals - 6, Section 4.1.3.
- 2. Federal Register, Vol. 44, No. 233, December 3, 1979.
- Methods for Chemical Analysis of Waters and Wastes, EPA-600/4-79-020, Method 206 - Arsenic, pages: 206.2-1 to 206.5-2.

TABLE 1.

PPM LEVELS OF PCBs AND ELEMENTAL PHOSPHORUS (P4) IN DEAD CREEK SOIL SAMPLES

TARLE	11	PPM LEVELS	ΛF	CHLOROBENZENES	IN	DEAD	CREEK	SOLL	SAMPLES
IVOLE		LIM FFAFF?	UI	CHEOKODEHTERES	7 14	DLAD	CULTV	201F	ついしにアピカ

ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0091541 8/29/80 100' from Judith Ln.	0091542 9/15/80 North Start	0091543 9/15/80 300' from start	0091907 9/18/80 #9	0091908 9/18/80 #10	0091909 9/18/80 #11	0091910 9/18/80 #14	0091911 9/18/80 #15	0041701 4/16/80 Soil Blank Mo. Bottoms St.Charles,MO
MONOCHLOROBENZENE	NA	NA	NA	(0.9)	2.0	(0.2)	ND<1	(0.1)	ND~1
P-DICHLOROBENZENE	NA	NA	NA	34	4.0	3.4	2.5	(0.7)	ND~1
O-DICHLOROBENZENE	NA	NA	NA	14	(0.5)	1.1	2.3	(0.2)	ND~1
TRICHLOROBENZENES (3)	NA	NA,	NA	22	2.0	5.3	3.5	1.1	ND-1
FETRACHLOROBENZENES (3)	NA	NÁ	NA	4.0	(0.5)	2.1	(0.7)	(0.6)	ND<1
PENTACHLOROBENZENE	NA	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND~1
HEXACHLOROBENZENE	NA	NA	NA .	ND<1	ND<1	ND<1	ND<1	ND<1	ND-1
NITROCHILOROBENZENES (0-, P-)	NA	NA	NA	ND<5	ND<}	1.2	ND<1	ND<1	ND<1

NA - Not Analyzed

^() Values in parentheses are below the validated detection limit. However, they represent levels detected with a S/N >2.5 and can be considered semi-quantitative.

4: 111

ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0091541 8/29/80 100' from Judith Ln.	0091542 9/15/80 North Start	0091543 9/15/80 300' from start	0091907 9/18/80 #9	0091908 9/18/80 #10	0091909 9/18/80 #11	0091910 9/18/80 #14	0091911 9/18/80 #15	0041701 4/16/80 Soil Blank & Mo. Bottoms St.Charles
O-CHLOROPHENOL	AM	NA	ŇA	17	ND<1	1.7	ND<1	ND<1	ND<1
P-CHLOROPHENOL	NA ·	NA	NA	20	ND<1	1.7	1.4	ND<1	ND<1
2,4-DICHLOROPHENOL	NA	. N V	NA	4.6	ND<1	ND<1	ND<1	ND<1	ND<1
PENTACHLOROPHENOL	NA	NA	NA	32	ND < 1	1.1	ND<1	ND<1	ND<1

Monsanto insurance Coverage Litigation

NA - Not analyzed

() Values in parentheses are below the validated detection limit. However, they represent levels detected with a S/N >2.5 and can be considered semi-quantitative.

NC A

0023 740

TABLE IV. PPM LEVELS OF PHO	SPHATE ESTERS	IN DEAD CRE	EK SOIL SA	MPLES					
ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0091541 8/29/80 100' from Judith Ln.	0091542 9/15/80 North Start	0091543 9/15/80 300' from start	0091907 9/18/80 #9	0091908 9/18/80 #10	0091909 9/18/80 #11	0091910 9/18/80 #14	0091911 9/18/80 #15	0041701 4/16/80 Soil Blank Mo. Bottoms St.Charles,MC
DIBUTYLPHENYL PHOSPHATE	ND<1	ND<100	ND<10	60	ND<1	ND<1	1.0	ND<1	ND<1
BUTYLDIPHENYL PHOSPHATE	NA	NA	NA ·	ND<1	ND<1	ND<1	ND<1	ND<1	ND < 1
TR I PHENYL PHOSPHATE	(0.3)	150	18	200	3.0	ND<1	ND<1	ND<1	ND<1
2-ETHYLHEXYLDIPHENYL PHOSPHATE	3.5	17	11	ND<1	ND<1	1.0	(0.5)	ND<1	ND<1
ISODECYLD IPHENYL PHOSPHATE	ND<1	ND<100	ND<10	ND<1	ND<1	ND<1	ND<1	ND<1	ND < 1
T-BUTYLPHENYLDIPHENYL PHOSPHATE	ND<1	ND<100	ND<10	ND<1	ND<1	ND<1	ND<1	ND<1	ND < }
DI-T-BUTYLPHENYLPHENYL PHOSPHATE	NA	NA	NA	ND<1	ND<1	ND<1	ND<1	ND < 1	ND<1
NONYLPHENYLDIPHENYL F PHOSPHATE	ND<2	ND<200	ND<20	ND<1	1.0	ND<1	ND<1	ND<1	ND<1
CUMYLPHENYLDIPHENYL S	ND < 1	ND<100	ND<10	2.6	2.4	2.4	2.2	2.6	ND<1

^() Values in parentheses are below the validated detection limit. However, they represent levels detected with a S/N > 2.5 and can be considered semi-quantitative.

NA - Not analyzed

TABLE V. P

ARSENIC (By AA)

NΛ

NA

ΝΛ

Monsanto insurance Coverage Litigation

LEVELS OF METALS IN DEAD Cheen SOLL JAMPALL

EPA/CERRO COPPER/EIL/PCB AITORNEY WORK PRODUCT / AITORNEY CLIENT PRIVILEGE

TABLE VI. SUMMARY OF PHOSPH	ORUS CONTENT	(PPM) OF D	EAD CREEK S	OIL SAMPL	ES				
ES LOG NO. DATE SAMPLE LOCATION ANALYTE	0091541 D 8/29/80 100' from Judith_Ln.	0091542 9/15/80 North Start	0091543 9/15/80 300' from start	0091907 9/18/80 #9	0091908 9/18/80 #10	0091909 9/18/80 #11	0091910 9/18/80 #14	0091911 9/18/80 #15	0041701 4/16/80 Soil Blank Mo. Bottoms St.Charles.M
P - ELEMENTAL, By GC/MS	ND<1	ND<}	ND <1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
P-INORGANIC, By ICP	4400	770 ,	2400	1900	7400	7000	6500	6700	610
TOTAL PHOSPHATE ESTERS, By GC/MS	4	170	29	260	6.4	3.4	3.7	2.6	ND<10

SUMMARY OF PHOSPHORUS CONTENT (PPM) OF DEAD CREEK SOIL SAMPLES

Monsanto insurance Coverage Littgation

20010

Submitted by:

Monsanto Industrial Chemicals Company Environmental Sciences Section - NIE 800 North Lindbergh Boulevard St. Louis, Missouri 63166

Prepared by:

Robert G. Kaley, II / Research Group Leader

Approved by:

James P. Mieure

Manager, Environmental Sciences

MEASUREMENT OF SELECTED CHEMICALS IN SOIL FROM THE DEAD CREEK SITE - QUALITY ASSURANCE

INTRODUCTION

Following media reports and subsequent Illinois EPA concern about hazardous chemicals at the Dead Creek site near Sauget, Illinois, personnel from Monsanto's W. G. Krummrich Plant sampled several areas at the site. Samples were submitted to Environmental Sciences for analyses for polychlorinated biphenyls, elemental phosphorus, chlorinated benzenes, chlorinated phenols, phosphate esters, and metals. During the various determinations, replicates and spiked samples were analyzed to evaluate the performance of the method used for these particular samples.

SUMMARY

This report summarizes the quality assurance results obtained for various samples analyzed during the course of this project. The accuracy (recovery from spiked samples) and precision (relative standard deviation of replicate determinations) results are tabulated herein. Although it would be difficult to summarize the overall performance of the methods for all the analytes, in general, the methods performed at the recovery and precision levels established during method validation.

DETAILS

Analytical Methods

The soil samples were analyzed for the various chemicals using established procedures or methods developed and validated for the chemicals of interest in soil. The following list tabulates the methods which were used.

Analyte	Method No.	Title
Polychlorinated Biphenyls	ES-80-M-28	Determination of Polychlorinated Biphenyls in Soil and Sediment
Chlorinated Benzenes	ES-80-M-29	Determination of Chlorinated Benzenes in Soil and Sediment
Chlorinated Phenols	ES-80-M-30	Determination of Chlorinated Phenols in Soil and Sediment
Elemental Phosphorus (P ₊)	ES-80-M-24	Determination of Elemental Phosphorus (Pa) in Soil and Sediment
Phosphate Esters	ES-80-M-5	Determination of Group I Compounds in Sediments
Metals	Ref. 1, 2	Inductively Coupled Plasma (ICP) Method for Trace Element Analysis of Water and Wastes
Arsenic	Ref. 3	Methods for Chemical Analysis of Water and Wastes - Arsenic

All determinations were carried out in strict accordance with these methods, except that the polychlorinated biphenyls, chlorinated benzenes and phosphate esters were measured in extracts from acidified samples to facilitate determination of chlorinated phenols in the same extracts.

Results

The results for the determinations of the compounds of interest have been reported in Special Studies ES-80-SS-24, 25, and 26, Measurement of Selected Chemicals in Soil from the Dead Creek Site . . . This Special Study is a compilation of the quality assurance results for all three Special Studies.

Quality Assurance

The recovery and precision results for the determinations are tabulated in Tables I-V. Each table contains the results for all quality assurance samples for a specific group of compounds. Recovery results are reported as percent recovery, calculated as

Precision results are reported as percent relative standard deviation (RSD) for replicate determinations.

The tables present the recovery and precision results in concentration ranges (1-10 ppm to 10,000 - 100,000 ppm). The entries are averages of all values for all samples which had either recovery or precision evaluated in that range. All values are for actual samples except the metals recovery results, which are for spiked blank soil. In the recovery column, NE means Not Evaluated, i.e., no samples were spiked in that concentration range, and ND means Not Determinable, i.e., the spiking level was too low (usually <50%) compared to the level actually in the sample. In the precision columns, NE means Not Evaluated, i.e., no replicates were analyzed which contained the analyte in that concentration range.

More detailed compilations of the accuracy and precision results can be found in Reference 4.

REFERENCES

- Methods for Chemical Analysis of Waters and Wastes, EPA-600/4-79-020, page: Metals - 6, Section 4.1.3.
- 2. Federal Register, Vol. 44, No. 233, December 3, 1979.
- 3. Methods for Chemical Analysis of Water and Wastes, EPA-600/4-79-020, Method 206 Arsenic, pages: 206.2-1 to 206.5-2.
- 4. RGK NBP 1914831

RECOVERY AND PRECISION

TABLE 1. PCBs AND ELEMENTAL PHOSPHORUS (P4) IN DEAD CREEK SOIL SAMPLES

ANALYTE L	EVEL 1-10 % Rec) ppm % RSD	10-100 % Rec) ppm %RSD	100-1,00 % Rec	00 ppm %R\$D	1,000- % Rec	10,000 ppm %RSD	10,000 %Rec	-100,000 ppm % RSD
PCB's (Cl ₂ to Cl ₆ Homologs)	ND	NE	70%	17%	120%	18%	77%	58%	NE	0%
P ₄	56%	NE	NE	NE	NE	NE	NE	NE	NE	NE

RECOVERY AND PRECISION

mdd 000	A ICSU	H .		7 8	Y :			NE 26%
100-1,	אַסטר אַ	4001 2001	2021	* 021	2021	308	10%	120%
	¥	64%	. L	13%			WE	NE
10-100 % Rec	110%	125%	120%	110%	120%	120%	% 06	120%
ppm Z RSD	NE	21%	162	14%	36	12%	13%	37%
1-10 # Rec	105%	120%	125%	%96	110%	140%	135%	-) 125%
ANALYTE	MONOCIII.OROBENZENE	P-DICHLOROBENZENE	0-D1CHLOROBENZENE	TRICHLOROBENZENES (3)	TETRACIILOROBENZENES (3)	PENTACHLOROBENZENE	HEXACHLOROBENZENE	NITROCHLOROBENZENES (0-,P-) 125%
	LEVEL 1-10 ppm 10-100 ppm 100-1,000 p	LEVEL 1-10 ppm 10-100 ppm % Rec % RSD % 105% NE 110% NE	LEVEL 1-10 ppm 10-100 ppm 100-1,000 pm % Rec % RSD % Rec % Rec 105% NE 110% NE 120% 21% 125% 64%	LEVEL 1-10 ppm 10-100 ppm x Rec x RSD x Rec x Rec x Rec x RSD x Rec x Re	LEVEL 1-10 ppm 10-100 ppm x Rec x RSD x Rec x Rec x RSD x RS	LEVEL 1-10 ppm 10-100 ppm 2 Rec 2 RSD 2 RS	LEVEL 1-10 ppm 100-1,000 p	LEVEL 1-10 ppm 10-100 ppm x RsD x Rec x RsD x Rec x Rec x RsD x Rec x Rec

RECOVERY AND PRECISION

ANALYTE CHLOROPHENOLS IN DEAD CREEK SOIL SAMPLES LEVEL 1-10 ppm Rec % RSD	IN DEAD C	DEAD CREEK SOIL S 1-10 ppm Rec % RSD	AMPLES 10-100 ppm % Rec % RSD	ppm X RSD	100-1,000 ppm % Rec % RSD	00 ppm % RSD
O-CHLOROPHENOL	19%	34%	64%	NE	58%	Z L
P-CHLOROPHENOL	36%	797	16%	NE	30%	NE
2,4-DICHLOROPHENOL	299	47%	263	NE	50%	NE
PENTACIILOROPIIENOL	140%	46%	40%	Ä	36%	20%

RECOVERY AND PRECISION

AMALYTE LEVEL 1-10 ppm 10-100 ppm 100-1,000 ppm 1,000-10,000 x Rec <									
ENYL TE 752 NE 1302 NE 1203 12x ENYL TE 1203 422 1152 NE NE NE TE 1203 422 1203 NE NE NE TE 1204 424 1103 NE NE NE TE 1103 NE NE NE NE HEHNYL TE NE NE NE NE HENGLOPHENYL TE NE 962 NE NE HENGLOPHENYL TE 882 NE 962 NE NE NLODPHENYL TE 842 82 762 NE NE NLODPHENYL TE 622 212 762 NE NE	ANALYTE	3-2	10 ppm % RSD	10-100 % Rec	D ppm % RSD	100-1,0 % Rec	000 ppm % RSD	1,000- % Rec	10,000 % RSD
120% 42% 115% NE NE NE 120% 89% 120% NE 115% NE 90% 47% 110% NE 115% NE NE NE NE NE NE NE VL 88% NE 96% NE NE 84% 8% 76% NE 88% NE 62% 21% 76% NE 88% NE	DIBUTYL PHENYL PHOSPIATE	75%	NE	130%	æ	120%	12%	Ř	N. FE
120Z 89X 120X NE 115X NE 90Z 47X 110X NE NE NE NE NE NE NE NE VL 10X NE NE NE 88X NE 96X NE NE 84X 8X 76X NE 96X NE 62X 21X 76X NE 88X NE	BUTYLOTPHENYL PHOSPHATE	120%	42%	115%	坚	NE	N.	NE	NE
L 70% 47% 110% NE 115% NE L 70% HE 92% 100% 100% NE YL 88% NE 96% NE NE NE 84% 83% 76% NE 96% NE NE 62% 21% 76% NE 88% NE	TR I PHENYL PHOSPIATE	120%	89%	120%	R	115%	N.	R	3 9
NE NE NE NE 70% I4E 92% 100% 100% NE 88% NE 96% NE NE NE 84% 8% 76% NE 96% NE 62% 21% 76% NE 88% NE	2-ETIIYLHEXYLDIPHENYL PHOSPIIATE	206	47%	110%	¥.	115%	NE	NE	NE
70% Ide 92% 100% 100% NE 88% NE 96% NE NE 84% 8% 76% NE 96% NE 62% 21% 76% NE 96% NE	I SODECYLD I PHENYL PHOSPHATE	NE	꾶	RE	NE	NE	NE	NE	N E
88% NE NE NE 84% 8% 76% NE 96% NE 62% 21% 76% NE 88% NE	F-BUTYLPHENYLDIPHENYL PHOSPHATE		물	92%	100%	1001	NE	NE	NE .
84% 8% 76% NE 96% NE 62% 21% 76% NE 88% NE	21-1-BUTYLPHENYLPHENY PHOSPHATE		NE	%96	NE	NE	뿔	Ä	NE E
62% 21% 76% NE 88% NE	NONYL PHENYL DIPHENYL PHOSPHATE	84%	8%	191	NE	%96	R	NE	Ä
	CUMYL PHENYL DI PHENYL PHOSPHATE	82%	21%	16%	NE	88%	NE	R	N E

Z

¥

묉

¥

뿔

묒

¥

묒

Ħ

K

ARSTAIC (By AA)

ANALYTE LEVEL 1-10 ppm 1-	LEVEL	1-10 ppm % Rec % RS	ppm K RSD	100 lec	₽₽m RSD	100-1 . Rec	100-1,000 ppm % Rec % RSD	1000-10	000-10,000 ppm % Rec % RSD	10,000-100,000 ppm % Rec % RSD	2. RSD
SILVER	:	H.	NE	NE NE	46%	岁	Æ	NE	¥	У	NE
AI UMINUM		QN	N.	Q	Æ	Q	NE NE	NE E	6.5%	奖	¥
BARIUM		QN	NE	NO	NE NE	268	37%	NE	70	Ä	¥
BERYLL IUM		286	Ä	286	N.	94%	NE NE	WE	R	Æ	NE
BORON		70	NE	259	19%	81%	3%.	NE	NE	NE NE	NE
CALCIUM		Q.	Z.	9	NE	Ş	NE NE	N.	8.3%	¥	7.5%
CAUMIUM		268	5.2%	3/6	21%	%96	NE	NE	¥	Æ	NE
COBALT		21%	NE	115%	6.5%	2/6	5.1%	NE	¥	NE	NE
CHROMIUM		27%	NE	109%	20%	216	6.4%	NE	坚	¥	NE S
COPPER		0%	W	143%	. 7.99	206	NE	NE	岁	¥.	11%
IRON		Ş	坚	S	NE S	9	NE	NE	분	ഴ	8.1%
MAGNESIUM		Q	묒	Q	NE NE	Ş	NE NE	NE	7.3%	У	NE
MANGANESE		Q.	¥.	Ş	13%	Ş	10%	¥	¥	NE NE	NE
MOLYBDENUM		53%	NE	83%	11%	83%	말	NE	¥	¥	NE.
SODIUM		Q	¥	2	¥	ş	11%	NE	¥.	NE NE	NE
NICKEL		7.0	Æ	108%	14%	316	13%	¥	4.5%	NE	NE
I EAD		70	NE	165%	21%	93%	볼	NE	6.5%	NE	분
PHOSPHORUS		9	Z.	S	묒	웆	10%	¥	17%	NE	7.6.1
ANT I MONY		0%	NE	27%	2.9%	27%	13%	NE	NE	NE	NE
STI ICON		3	. NE	9 Q	¥	% 0	49%	NE	¥	NE	NE
<u> </u>		288	NE	85%	5.6%	%96	5.4%	NE	NE NE	NE F	NE
		218	NE	105%	3.3%	94%	75.9	NE	NE	NE	NE
WILLINVI I I		Q.	꾶	266	30%	30%	1.3%	NE	NE	NE	NE
-		€	NF.	Q	13%	120%	11%	NE	NE	¥.	NE.
2N17		Ê	¥	139%	34%	87%	WE.	NE NE	8.9%	NE	16%

Submitted by:

Monsanto Industrial Chemicals Company Environmental Sciences Section - N1E 800 North Lindbergh Boulevard St. Louis, Missouri 63166

Prepared by:

Robert G. Kaley, IV' Research Group Leader

Approved by:

James P. Mieure

Manager, Environmental Sciences

END

OF LOOSE

DOCUMENT

COLLECTION

SAUGET SITES - DEAD CREEK, SECTOR B

GOAL: Define If A Removal Of Contaminated Sediments To The Chemical Waste Management Landfill At Emelle Is Possible And, If So, Implement Same.

1. IEPA Position Definition

*Contact IEPA (McCombs) and determine approval status of Cerro Removal.

- If Negative Terminate Project
- If Positive Set up meeting with IEPA for Varnado, Smull and McCombs to discuss a similar project. Contact Gilhousen to determine if Enviro. Law wishes to be represented in this and possible future meetings. Also if we should contact the IAG relative to this project and when and how.

*Meet with IEPA, express our concern that the community reaction to a removal on sector A, an industrial area, and no action on sector B, a commercial/residential area, can be expected to be severely negative towards local industries and the Agencies. Additionally it is our perception that there is not a strong technical base on which to defend the situation. Define if IEPA has a positive interest in doing a similar removal on Sector B, if Monsanto would agree to fund and manage the project.

- If Negative Terminate Project
 If Positive Define and Detail Basis in this and future meetings. Major issues are:
- a. Access, can IEPA use existing agreement for sampling and removal access.
- b. What form of agreement will IEPA require for the work. We need to develop our proposal, letter agreement? or whatever.
- c. Regulatory hurdles, PCB content averaging, disposal of dewatering water, etc.
- d. Define Agency waste definition analytical requirements (CMW may have additional requirements). At this time we would expect to need PCB, 2,3,7,8 TCDD, landban organics, metals, moisture content. (Also need to define moisture level required to pass paint filter test.
- e. Timing. The 11/8/90 landban deadline is a desirable, if not necessary, project completion date.

MCA 0156812

MCO 7683597

2. Funding

Prepare EEAR against the Executive Division for \$400k to cover funding for study. Issue second EEAR, now anticipated to be in the \$10M range for actual removal.

3. Removal Feasibility and Scope Definition

Request G & M to prepare proposal for defining the project, including coring and sampling. Use a fast track basis.

Define laboratory for analytical work including doing same via EASC if necessary to achieve rapid turnarounds.

Define via McCombs ability of plant to provide field supervision of contractors. If not possible, arrange for Engineering or contract support.

Define CMW capability, pricing, and requirements to transport and handle the material at Emelle. At this time the actual removal work would be held out separately as a lump sum bid contract.

4. Community Relations

Meet with MCC and WGK community relations and develop CR plan.

MCA - 156813

in Dead Creek. The results of this investigation are documented in the St. John Report. The snow fence was later replaced with a chain link and barbed wire fence. The installation of this fence was authorized by the USEPA, and was completed in October, 1982.

Prior to the IEPA investigation in 1980, the City of Cahokia Health Department received complaints from area residents concerning discharges from Cerro Copper Product (Cerro) entering CS-B. In 1975. IEPA visited the site in order to determine if these discharges were Investigators observed discoloration in the creek and along the banks similar to what was later observed in the holding ponds at Cerro. One water sample was collected by IEPA from the creek immediately south of Queeny Avenue. Analysis of this sample indicated the presence of copper (0.3 ppm), iron (3.2 ppm), and mercury (0.1 ppb). The culvert under Queeny Avenue was sealed streetime in the early 1970's by Cerro Copper and the Monsanto Chemical Company for the purpose of restricting flow from the holding ponds at Cerro (Creek Sector A). The holding ponds were also regraded to the north to direct their flow to an interceptor discharging to the Sauget Wastewater Treatment Plant. investigators concluded that flow through the blocked culvert had occurred, although the direction of flow could not be determined because no flow was evident at the time of the inspection.

The IEPA hydrogeological study, conducted in 1980, included collecting 20 surface sediment samples for analysis from CS-8 (Figure B-1). Analyses of samples from the northern portion of CS-8 are presented in Table B-1. Samples x106, x119, x120, x125, and x126 showed PCBs in concentrations ranging from 1.1 to 10,000 parts per million (ppm). Sample x125, taken adjacent to the former Waggoner Company operation, contained additional organic contaminants, including alkylbenzenes (370 ppm), dichlorobenzene (660 ppm), trichlorobenzene (78 ppm), dichlorophenol (170 ppm), and hydrocarbons (21,000 ppm). These contaminants were not detected in other surface sediment samples in the northern portion of CS-B during this

CREEK SECTOR B - DEAD CREEK

Site Description

Creek Sector B (CS-B) includes the portion of Dead Creek lying between Queeny Avenue and Judith Lane in Sunget, Wilinois. Three other sites in the Dead Creek Project are located adjacent to CS-B. These include Site G to the northwest, Site L to the northeast, and Site M to the southeast. All of these sites have been identified at one time or another as possible sources of pollution in CS-B. Presently, CS-B and Site M are enclosed by a chain link fence which was installed by the USEPA in 1982. The banks of the creek are heavily vegetated, and débris is scattered throughout the northern one-half of CS-B. Culverts at Queeny Avenue and Judith Lane have been blocked in order to prevent any release of contaminants to the remainder of the creek, although the adequacy of these blocks has been questioned several times. Water levels in the creek vary substantially depending on rainfall, and during extended periods of no precipitation, the creek becomes a dry ditch.

Site History and Previous Investigations

The IEPA initially became aware of environmental problems at CS-8 in May, 1980 when several complaints were received concerning smouldering and fires observed the creek bed. In August, 1980, a local resident's dog died, apparently of chemical burns resulting from contact with materials in the ditch. Following this incident, the IEPA conducted preliminary sampling to determine the cause of these problems in CS-8. Chemical analysis of these samples indicated high levels of PCBs, phosphorus, and heavy metals, and the IEPA subsequently authorized the installation of fencing in order to prevent public access to the creek. In September 1980, the Illinois Department of Transportation (IDOT) completed installation of 7000 feet of snow fence with warning signs around CS-8 and Site M. The IEPA subsequently performed a preliminary hydrogeological investigation in the area in an attempt to identify the sources of pollution

B-1

MCQ 7683599

MCA 0156814




FIGURE 8-1 IEPA SAMPLING LOCATIONS AF CREEK SECTOR 8 AND SITE M

MCA C156816

AMALYSIS OF SOIL SAMPLES IN THE MORTHERN PORTION OF CREEK SECTOR B (COLLECTED BY HERA 9-0-80 THROUGH 10-25-80) TABLE 8-1:

PARACETERS A 1966 Aluminam Arsonic Berlum											
	_		2	711-	****	:					
Arsenic Brilis	Γ				=	4117	=	4]]9	2	126	7
3.53	Ĩ		};	3	8.		2.				110
	•		ខ្ម	= ;	•	=	5				
	ī		3	-	홋	Ş	99	510	£		•
Pores		, ,		•	•	•	•	;-	} -	36.3	000.
Coderius		3		' :	•	•	•	• •	• •	•	7
Colcium	11			9	•	٠	•	^	•	• •	Ξ;
Complete				B	8.8	9	900	` §	,	• ;	~
				2	2		}	*	3,7		8
	•			\$	•	•		R •	R:	3	3
	•			22,000	270	3	· §		2	•	3
			1	20.00			3	8	3	90	9
301	<u>.</u>			8	•		R	17.500	R. 9		
Pages i'e	•			1	3 5	1	8	7	9	Ž	
Manganese	•			3		2	8	200	§	1	
Mercury	. •-1	я		<u>.</u>	3	\$	3	55	3	3	
Michel	•			•	~	~	~	}	ţ	\$	2
Phosphorus	•	3			?	•	•	•	8	5	
Potessian	7				~	٠			3	2 9	9
Silver	:	•		8 .	%	9	7.200	8	-		
Section	*			•	•	3	•	•	3	2	3
Streettus			1	8	3	3	98	9	324	٠ ۽	2
Yeardin	•	<u>.</u>		2	3					3	3
2100				3	,	•	•	* ?	3 ;	3:	
PCBs.	:			2 8 8	2,500	•	8	} `	Ş	= ;	£
							}	3:	Ş	<u>8</u>	900. 2
Bickless James								-:	8	0.00 0.00	35
								•		2	•
								•	•	3	•
Market Strate								•	•	2	•
								•	•	21,000	•
If Ichieree Care								•		959	•
								•	1	2	•

- Indicates below detection Italits

MCA C156817

B-4

7683602

investigation. In general, inorganic analysis of these samples indicated high levels of several metals in comparison with background conditions (Table B-3, sample x121).

Subsurface soil samples were also collected by IEPA from one location in the northern portion of CS-8 during the 1980 investigation. Analyses of samples from boring P-1 are included in Table B-2. Results indicated the presence of PCBs to a depth of seven feet, and other organic contaminants to a depth of three feet. concentrations ranged from 9,200 ppm near the surface to 53 ppm at depths greater than 4 feet and up to 7 feet. Other organic contaminants were detected at concentrations ranging from 12,000 ppm near the surface to 240 ppm at 2.5 feet. These results indicate non-uniform contaminant deposition in the northern portion of CS-8, which is common in riverine systems. The above data indicate that historical release(s) of contaminants to the northern portion of CS-B did occur. However, the horizontal and vertical extent of the resulting contamination has not been fully defined.

Analyses of sediment samples from the southern portion of CS-B are summarized in Table B-3. Sample x121 was taken from soil outside the creek bed to establish background conditions. Samples x107, x122, and x127 contained PCBs at concentrations ranging from 73 to 540 npm. Sample x122 also showed diclorobenzene (0.35 ppm). This was the only organic contaminant other than PCBs detected in samples from the southern portion of CS-8. Several metals, including arsenic, cadmium, chromium, copper, lead, and zinc, were detected at levels significantly above background concentrations in all samples. However, the metal concentrations were comparable to concentrations detected in samples of sediment taken in the northern portion of CS-B. All of the samples were collected from the creek bed adjacent to, or downstream from Site M, which is an old sand pit excavated by the H.H. Hall Construction Company in approximately 1950. Hazardous materials were not reported to have been disposed of at Site M.

In October, 1980 IEPA and Monsanto Chemical Company cooperatively

TABLE B-2: AMALYSIS OF SUBSURFACE SOIL
SAMPLES AT BORING LOCATION P-1
IN CREEK SECTOR B. (COLLECTED BY

				SAMPLE DEPTH			
PARAMETERS	0,-1,	1'-2'	0'-1' 1'-2' 2'-3' 3'-4' 4' 5'	31.41	13 17		
					- L	90	. / 9
Biphenyl	9,000	9,000	1.100				
Chloronitrobenzene	9 2	240					
Dichlorobenzene	12,000	8,900	240				
PCBS	9,200	2.600	A-800	240	62	2	
irichlorobenzene	380	3,700	200	280	3	2	አ
Aylene	240	250	}				

NOTE: All results in ppm Blanks indicate below detection limits

MCA 0156819

MCD 7683604

904678

TABLE 8-3: ANALYSIS OF SOIL SAMPLES IN THE SOUTHERN PORTION OF CREEK SECTOR B (COLLECTED BY IEPA 9-8-80 THROUGH 10-25-80)

PARAMETERS x107 x106 x109 x110 x111 x112 x121 x122 x127 Aluminum As mile x100 y100 y100 x100 x100 x120 x121 x122 x127 Arsanic 6,000 4,000 y100 7,000 6,000 2,000 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500										
6,000 6,000 9,100 7,000 8,000 6,600 4,800 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,700 1,700 1,900 1,700 1,900 1,900 1,700 1,900 1,900 1,700 1,900 1,900 1,700 1,900 1,900 1,700 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900 1,900	PARAMETERS	x107	x108	x 109	x110	x111	×112	x121	x122	x127
6,000 44 25 67 80 5.500 4,800 3,800 1,600 4,300 1,800 8,000 230 5,500 70 70 70 7 200 16,000 13,000 34,000 11,000 15,000 32,000 31,000 7,700 22,000 15,000 41,000 100 21,900 70,000 58,000 7,700 22,000 15,000 16,500 50,000 24,000 2,000 1,700 2,000 1,000 16,500 50,000 2,900 3,900 3,500 4,100 4,000 6,900 5,900 1,700 2,900 3,900 3,600 4,100 4,000 6,900 1,200 1,700 1,000 1,000 1,700 1,900 2,000 2,000 1,500 960 1,200 1,500 1,700 1,300 1,600 1,600 80 630 1,200 1,500 1,000 1,000 1,600 1,600 80 25,000 22,000 27,000 2,000 2,000 2,000 2,700 1,900 960 1,200 1,500 1,700 1,300 1,600 1,600 80 630 1,200 22,000 27,000 25,000 4,000 2,300 1,500 960 25,000 22,000 27,000 2,000 1,600 1,600 1,600 80 120 22,000 27,000 25,000 4,000 2,000 2,300 1,500 1,500 1,500 1,500 1,500 1,000 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,6	Aluminum		8,000	9,100	7.000	8,000	6,600			
4,800 3,800 1,600 4,300 1,800 8,000 230 5,500 70	Arsenic	9	7	52	. 67	8	20			
11,000 10,000 24,000 16,000 3d,000 11,000 15,000 15,000 10,000 2d,000 10,000 2d,000 1,700 2,000 15,000 6d,000 5d,000 16,500 10,000 1,700 2d,000 2d,000 1,700 2d,000 2d,000 1,700 2d,000 1d,000	Barium	4,800	3,800	1.600	4,300	1.800	, 000 1	230	2,500	2,500
11,000 10,000 24,000 16,000 13,000 30,000 11,000 15,000 36,000 11,000 15,000 36,000 11,000 15,000 32,000 11,000 10,000 15,000 15,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10	Berylium	•		,					2	2
11,000 10,000 24,000 16,000 13,000 34,000 11,000 15,000 36,000 11,000 15,000 15,000 37,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11,000 11	Boron	1	•	•		•	•	•	1	•
11,000 10,000 24,000 16,000 13,000 30,000 11,000 15,000 15,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10,000 10	Cadmium	2	•	200		100	901	-	32	S
32,000 31,000 7,700 22,000 15,000 41,000 100 21,900 70,000 58,000 52,000 15,000 16,500 10,500 50,000 70,000 58,000 1,700 2,000 52,000 16,500 16,500 50,000 7,700 2,000 2,000 52,000 1,700 1,700 2,000 1,700 1,700 1,700 1,900 1,500 1,500 1,500 1,500 1,500 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700 1,700	Calcium		10,000	24,000		13,000	30,000	11,000	15,000	8,000
32,000 31,000 7,700 22,000 15,000 41,000 10,50,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000	Chromitum		300			20	20	•	20	340
32,000 31,000 7,700 22,000 15,000 41,000 100 21,900 70,000 58,000 1,700 2,000 5,100 52,000 10,5000 52,000 1,700 52,000 52,000 1,700 52,000 52,000 52,000 1,700 52,000 52,000 52,000 52,000 1,700 150 150 150 1,700 1,900 1,900 1,200 1,500 1,500 1,500 1,500 1,500 1,500 1,500 525,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,	Cobalt	8	30	20	•	ı.	1	6	15	30
70,000 58,000 75,000 67,000 68,000 52,000 16,500 50,000 1,700 2,000 4,100 4,000 6,100 5,100 1,700 1,700 1,500 1,500 1,500 1,900 1,900 1,900 1,900 1,500 1,500 1,500 1,000 1,600 1,600 80 630 1,000 1,000 1,600 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,00	Copper		31.000	7.700	22,000			20	21,900	28,000
24,000 2,000 1,700 2,000 4,000 6,100 1,700 1,700 1,500 1,500 1,900 1,000 1,000 1,500 1,000 1,000 1,000 1,500 1,000 1,000 1,600 1,600 1,600 1,600 1,600 1,500 1,200 1,000 1,600 1,600 1,600 1,600 1,500 1,200 1,000 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600 1,600	Iron		58,000	75.000	67.000			16,500	50,000	63,000
2,900 3,900 3,600 4,100 4,000 5,900 3,800 150 150 150 100 1,900 1,900 2,000 2,000 1,900 1,700 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,	Lead		2.000	1, 700	2,000			•	1,700	1,700
150 150 300 200 160 300 370 190 190 1,000 1,200 1,500 1,700 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000	Magnestum		3,900	3,600	100			9,400	3,800	2,700
3,500 3,000 900 1,900 2,000 2,700 120 1,700 1,200 1,200 1,500 1,700 1,300 1,000 1,600 80 630 30 180 200 130 160 160 1600 25,000 25,000 27,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000 25,000	Hanganese		150	300	500			370	180	150
3,500 3,000 900 1,900 2,000 2,700 120 1,700 1,200 1,700 1,200 1,500 960 1,700 1,000 1,000 1,600 80 630 1,700 900 900 700 1,000 1,600 80 630 180 200 130 160 160 160 25,000 25,000 25,000 25,000 25,000 25,000 52,000 52,000 52,000 53,000 53,000 53,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000 52,000	Mercury	•	1.7	(F)				•	•	•
7,040 1,200 1,500 1,700 1,300 1,600 1,500 1,900 960 40 1,700 900 900 700 1,000 1,600 80 630 180 200 130 160 160 25 60 25,000 27,000 25,000 47,000 52,000 230 19,900 120	Nickel	3,500	3,000	006	1.900			120	1,700	
1,200 1,500 1,700 1,300 1,600 1,200 1,900 960 30 40 30 30 1,700 900 700 1,000 1,600 80 630 80 630 180 200 130 160 160 430 32 190 25,000 22,000 27,000 25,000 47,000 52,000 230 19,900 540 540	Phosphorus	7,040		•	,	ı	1		•	4,700
1,700 900 700 1,000 1,600 80 630 100 1,000 1,600 80 630 100 160 160 160 32 190 160 160 160 160 160 160 160 160 160 16	Potassium	1,280	1.500	1,700	1,300	1,600	1.200	1,900	096	1,000
1,700 900 900 700 1,000 1,600 80 630 180 200 130 160 160 160 25 190 25 190 100 25,000 27,000 25,000 47,000 52,000 230 19,900 120 - 0.35	Silver	07	•	•	'	'	•		8	40
1 180 200 130 160 160 430 32 190 25,000 22,000 22,000 27,000 25,000 47,000 52,000 230 19,900 540 60.35	Sodfum	1.700	006	90	200	9	1.600	8	630	200
25,000 22,000 27,000 25,000 47,000 52,000 230 19,900 540 540	Strontium	081	902	130	100	9	430	32	190	130
25,000 22,000 27,000 25,000 47,000 52,000 230 19,900 540 540 52000 52000 52000 52000 540	Vanadium	9	1	} '	2	2	•	52	45	45
120 - 540 - 0.35	Zinc	25,000	22.000	27,000	25,000	47	62.000	730	19,900	28,000
lorobenzene	PCBs	120	1	•				•	240	73
	Dichlorobenzene		•		! (P i	•	•	0.3	. '

All results in ppm Blanks indicate that parameter not analyzed - Indicates parameter is below detector limit NOTE:

8-7 0156823 MCA

collected three sediment samples from CS-8 in order to confirm results of earlier sampling done by IEPA. SD-1 was collected from the creek bed 40 yards-south of Queeny Avenue. This location is adjacent to the former Waggoner Company building and also near an old outfall (effluent pipe) from the Midwest Rubber Company. SD-2 and SD-3 were collected approximately 220 yards south of SD-1, in the central portion of CS-8. Results of these samples, including a blank soil sample collected from the Missouri Bottoms in St. Charles, Mo., are presented in Tables B-4 and B-5. PCBs (45-13,000 ppm) were found in all three samples from CS-B, as were several chlorinated benzenes. Chlorinated phenols and phosphate ester were detected in samples SD-1 and SD-3, but were not found in SD-2. The analysis of these samples for inorganic parameters detected generally higher levels of inorganic parameters in SD-2 and SD-3 than those for SD-1 and the soil blank. These results clearly indicate differential contamination in CS-B, with SD-1 showing high levels of PCBs and other organic compounds, whereas SD-2 and SD-3 contained higher levels of metals.

IEPA personnel also collected two sediment samples from CS-8 in December, 1982, as part of an area-wide dioxin sampling effort managed by the USEPA which also included Site O. The first sample was collected along the east bank of the creek, approximately 80 yards south of Queeny Avenue. Previous sampling conducted by IEPA in this area had shown high concentrations of PCBs. The second sample was collected along the west bank of the creek, approximately 50 yards south of Queeny Avenue. Both samples were analyzed specifically for 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) by a USEPA contract laboratory. The first sample showed a quantified level (0.54 ppb) of TCDD, and the second sample was below the detection limit.

IEPAs Preliminary Hydrogeological Investigation of Dead Creek in 1980 was conducted for the purpose of determining possible sources of pollution observed in CS-B. The study included installation and

MCA 0156821

8-8

TABLE B-4: ORGANIC ANALYSIS OF SEDIMENT SAMPLES FROM DEAD CREEK, SECTOR B (SPLIT SAMPLES-IEPA AND MONSANTO COLLECTED 10-2-80)

SAMPLE LOCATIONS

		JAMP	LE LUCATION	,
PARAMETERS	50-1	SD-2	SD-3	Blank*
CHLOROBENZENES:				
Monochlorobenzene	(0.9)		(0.3)	
p-Dichlorobenzene	370	(0.3)	(0.4)	
o-Dichlorobenzene	80	(0.6)	1	
Trichlorobenzenes	85	1.6	(0.7)	
Tetrachlorobenzenes	6.1	2.4	(0.4)	
Pentacesorobenzene			• •	
Hexach lorobenzene		1.2		
\\'\`\\'\`\\\\\\\\\\\\\\\\\\\\\\\\\\\\	120			
CHLOROPHENOLS:				
o-Chlorophenol	3.7			
p-Chlorophenol	6.6		(0.9)	
2,4-Dichlorophenol	1.2			
Pentachlorophenol	130		1.8	
PHOSPHATE ESTERS:				
Dibutylphenyl Phosphate	330		(8.0)	
Butyldiphenyl Phosphate	,		(0.8)	
Triphenyl Phosphate	2600		,	
2-Ethylhexyldiphenyl Phosphate			2.2	
Isodecyldiphenyl Phosphate				
T-Butylphenyldiphenyl				
Phosphate	28			
Di-t-butylphenyldiphenyl Phosphate				
Nonylphenyl Diphenyl Phosphate				
Cumylphenyldiphenl Phosphate	3.7			
PCBs (C1 ₂ to C1 ₅ Homologs)	13,000	240	45	

NOTE: All values in ppm

*Soil blank collected from Missouri Bottoms, St. Charles, Mo.
Blanks indicate below detection limits
() Semi-quantitative values

MCA : 156822

B-9

TABLE 8-5: INORGANIC ANALYSIS OF SEDIMENT SAMPLES FROM DEAD CREEK, SECTOR B (SPLIT SAMPLES - IEPA AND MONSANTO COLLECTED 10-2-80)

SAMPLE LOCATIONS

		JAN 25 E.		
PARAMETERS	SD-1	SD-2	SD-3	Blank*
Aluminum	1,400	5,100	5,300	5,600
Antimony	13	240	160	29
Arsenic	210	40	55	5
Barium	770	1,200	1,300	130
Beryllium	•	•	•	•
Boron	28	160	100	27
Cadmium	5.1	60	55	3.9
Calcium	8,500	9,200	6,200	4,600
Chromium	25	110	240	19
Cobalt	15	180	120	33
Copper	460	28,000	18,000	19
Iron	4,700	53,000	30,000	9,900
Lead	180	2,000	1,600	50
Magnesium	460	2,200	2,000	2,300
Manganese	29	170	110	510
Mo l ybdenum	6.1	92	68	11
Nickel	110	2,000	1,700	39
Phosphorus	2,500	13,000	9,400	610
Silicon	73	150	89	110
Silver	-	42	29	-
Sodium	400	540	410	320
Strontium	35	230	110	17
Tin	18	260	320	18
Titanium	32	110	80	37
Vanadium	34	140	130	130
Zinc	280	32,000	18,000	56

NOTE: All values in ppm

* Soil blank collected from Missouri Bottoms, St. Charles, MO.

- Indicates below detection limits.

MCA .156823

sampling of 12 monitoring wells in addition to the 1980 soil/sediment sampling described above. Residential wells were also sampled to determine ground water quality in the area. Locations of IEPA monitoring wells and residential well samples are shown in Figure 8-2. All IEPA wells were screened in the Henry Formation sands, with screened interval elevations ranging between 366 and 402 feet Mean Sea Level. The hydraulic gradient in the vicinity of CS-B is very flat, with ground water flow generally to the west toward the Mississippi River.

Analytical data for three sets of samples from the IEPA monitoring wells, corresponding to three sampling events in 1980 and 1981, are presented in Tables 8-6, 8-7, and 8-8. Well G108 can be considered a background well due to its location upgradient from the known disposal areas around CS-B. Organic contaminants were consistently found in Wells G107 and G112. These wells are in downgradient monitoring positions for sites G and I respectively. Certain organic contaminants were detected in Wells 6102, 6109 and 6110 during the initial sample event, but these wells did not show any of the organics in subsequent samples. Well G102 is located immediately west of the northern portion of CS-B, and near the southeast corner of Site G. Well G109 is located approximately 150 feet west of the former Waggoner surface impoundment (Site L). Well G110 is located downgradient of Site H. PCBs were detected at one time or another in Wells G101, G102, G104, G106, G107, G110, and G112. Of these, only G101 and G102 showed PCBs in all three sets of samples.

Inorganic analyses of samples from the IEPA monitoring wells indicate several parameters at concentrations above background (G108) and water quality standards. Standards for iron, manganese, and phosphorus were exceeded in samples from the background well. Barium, cadmium and lead were detected at concentrations exceeding standards in one or more well(s). In general, wells G109, G110, and G112 showed the most significant inorganic contamination. When compared with data for other wells, G109 contained very high concentrations of arsenic, copper, nickel, and zinc. The pH for G109

B-11




FIGURE 8-2 LOCATIONS OF IEPA MONITORING WELLS AND RESIDENTIAL WELLS SAMPLED IN THE VICINITY OF DEAD CREEK

MCA 1156825

B-12

MC0 7683610

TABLE 8-6: AMALYSES OF GROUNDMATER SAMPLES FROM THE LEPA HONETORING WELLS (COLLECTED 10-23-80)

		Military and the control of the cont			SAPL	C LOCATIO	#S					
PARAETERS	3	30.0	6103	7019	6105	6106	6107		6019	0119	1119	6112
Alkeliaity	i i		*	*25	E	/R	285		(R)	270	200	565
-	3.	<u>-</u>		₹ .	•	6.2 .9	6 .5		. 5	7.7	-0	5.1
Arsenic	0.83	0.023	6.83	o. 649	9.0	9.70	3.0		0.055	0.053	900.0	0.019
		9 .0	6.2	2.2	5 .0	9.0	2.1		0.5	6 .5	0 .0	9.9
Per s	9.0	*. •	o. s	9.0	•	0 .5	0 .5		T.	.	0.5	2.6
Cadalum	0.0	0.0	0.03	0.0	0.0	0.0	0.0		0.0	5.	0.0	8.0
Calcium	2	2	210	210		2			8	98	219	242
2	ŝ	3	*	Ž	~	= 12	20		2 75	문	2	791
Chloride	#	<u> </u>	3	3	5	5	21		3	₹	2	76.3
Chreste (Total)	3.0	9.6	8.0	3.0	0.12	6.0 0	0.0		o.e	3 .0	0.0	0 .01
Chresis (*6)	9.0	•	e e	0.0	0 .0	0.0	0.0		0.0	0.0	0.0	0.0
Copper	9.4	0.13	-	0.31	6 .73	Į.	3.0		0.13	~	3	1.2
Cyanide												0.0
Flueride	- -	0.7	~ •	0	•	6.	<u>.</u>		1.2	9 .0	0 .3	9.5
Hordness	3	ī	Z	<u>R</u>	23	63/	777		3	279	419	200
12	51.0 5.0	9 .5		2	=	3	EI .		9.8	2	s	=
7:1	9 .9	• <u>.</u>	92.0	0.2	6 . 31	0.0	0.27		0.0	7.3	0.0	÷.
Hagnes fum	8.0	2	2	72	100	19	5 2		8	Ę	24	82.5
Angene te	J. 5	3.1	2.5	3.4	7.7	61	2.5		5.5	9.9	-	7.
Mercery	• •	•	9.000	0.0	•	0	• •		•	0.0	0.0	0.000
FICE	·		.	~ ·		-			O	•	9	9.0
BILLBIG-HILFILG	- ·			- ·	•		- •		9 (•	0 C	9 4
100		:			•	. 3	- v		. 4		• •	
The Colonial											2	
Potessina	9	13.1	13.4	12.3	2	::	7.5			2		5
2.0.E.	3	1230	365	2	ă	2	1230		3	3	512	2130
31813	9.00	8	0.00	٥.0 ف	8	8.	9.604		8.	9 .88	0.005	9.6
2 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	5 • 3	• •	~ 9	e • ,	• •		•		:	.	8 9 7	. O. 13
2.5	3						REI.		MAX.	R	E	3
Selfate	×	3	2	ž	ž	Ē	Z		3	=	3	518
7	•	•	6 .2	0.3	3.7	=	•			0.	0	7.8
(ale)	• -	7.1.5	•		•	,	• ;		• ;	2.7	•	
Character (pre)	•	2	,				3:		=			' 8
	•			•	•	•	2					3
	. (• 1				c ş		•		•	ç
() open men	,	1	,	•	•		2			4		
		ı	,		• 1				5	e G	,	, 00%
1 7 77							•	•		;		3

MOIE: All results in ppm unless otherwise noted.

Blanks indicate parameter not analyzed.

- indicates below detection limits.

B-13

TAPLE 9-7: ANALYSES OF GROUNDLATER SAMPLES FROM THE LEPA MUNITORING WELLS (COLLECTED 1-28-81)

Allacation (1914) 6.10 Amenal (1914) 6.10 Amenal (1914) 6.10 Amenal (1914) 6.10 Committee (1914) 6.10 Committe	5	200000	200 - 0 0 1 1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	22 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	20000000000000000000000000000000000000	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	2000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00	24.000000000000000000000000000000000000
(jeta) 2000 (jeta) 2000 (jeta) 2000 2000 2000 2000 2000 2000 2000 200			200-100 E 200 C 20		1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	X	24 6 9 1 1 2 1 2 2 2 3 2 3 3 3 3 3 3 3 3 3 3 3		20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	20000000000000000000000000000000000000
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0			- 0 - 0 0 E 0 0 0 2 0 0 V		20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	X	7. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	! !	20000 2000 2000 2000 2000 2000 2000 20	24000000000000000000000000000000000000
(1912) 25 4 5 6 6 6 5 7 6 6 6 7 6 6 6 7 6 6 6 7 6 6 6 7 6 6 6 7 6 6 6 6 7 6 6 6 6 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6			0-40 5 5 0 0 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0		20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3	21 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	! !	4000 000 000 000 000 000 000 000 000 00	2 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(10121) 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	_				200 000 000 000 000 000 000 000 000 000		2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 1	2000 500 500 500 500 500 500 500 500 500	2000 2000 3000 3000 3000 3000 3000 3000
(leta) 25 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6			487 825 4945		20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00	1 1	200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000 00 00 00 00 00 00 00 00 00 00 00 00
(fota) 0.00 (fota) 0.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.00 55.0			6F 220 0 20 0 C		200 0.09 0.09 0.09 0.09 0.00 0.00 0.00 0		20 00 00 00 00 00 00 00 00 00 00 00 00 0	1 1	50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00	95.000 \$ 0.05 95.000 \$ 0.05
(19121) 25 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6			55000 300 C		26 0 32 0 32 0 32 0 32 0 32 0 32 0 32 0		25 25 25 25 25 25 25 25 25 25 25 25 25 2	1	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 + 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(fotal) 0.62 25.0 25.0 25.0 25.0 25.0 25.0 20.17 20.17 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0 20	.	1 1	25000		201 20.09 20.09 20.09 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20.03 20		1315 32 30.00 96.1 134 136 196 196 196	ļ	50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	25.00 \$ 0.00 20.00 \$ 0.00 20.00
(leta) 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25			20002000		20.09 90.93 17.2 0.32 20.32		2	ı	50.0 6.04 530.0 6.04 10.00 10.00	5000 4 00.3
(fotal) 0.00 554 1 554 1 554 1 554 1 554 1 556 1 55	1.		20073000 20075		0.09 9.93 172 0.32 1.38 1.38		2 1 2 2 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		530 530 10.00 10.00 17.9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(1914) 0.00 554 1 554 1 50 1 10 1 10 1 10 1 11	1	1	00 7 0 0 C	_	9.97 9.60 172 0.32 268.1	ا ـ ـاـ	2 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1	530 50 50 50 50 50 50 50 50 50 50 50 50 50 50 50 50 50 50 5	6.0 \$ 6.0 \$.
254 1 254 1 20 4 10 20 17 20 17 20 0 0 0 21 18 18 18 18 18 18 18 18 18 18 18 18 18	1.	1	2 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		20.00 17.2 0.32 200.1		2 30 2 30 3 30 3 30 3 30 3 30 3 30 3 30	Į.	8 - 9 - 5 9 - 5 - 5 9 - 5 - 5	0 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
254 1 204 2017 2017 2017 2018 2019 2019 2019 2019 2019 2019 2019 2019	ļ.	1	230 C	_ i_	20 0.32 1.20 0.32	_	2 Z C		530 10.1 17.9	\$ = 0 Z
254 1 204 2 204 2 200 2 200 0 200 0 3 000 0 3 000 0	ļ.	į	30.00	_ i_	26.32	_	<u>z</u> .		10.00 17.9	202
10.4 40.17 10.0 10.0 10.0 10.0 10.0 10.0		į.		_ i_	200.12	_	8		3.0 9.7	80
11.11.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	1.	1	4.10	- I	288.1				37.9	54.0
15.2 0.0 0.1 0.1 1trite 0.0	1.	Į	9.	<u>i_</u>		I	- -			
1.0 0.0 0.1 0.1 1.0 0.0			•		5	L	F.		1.76	0.7
0.0 0.1 7.0 0.0					0.0		9 .		o. 0	0
			9.5		6.5		2,6		0.0	0.
11trite 0.0 7.0 0.0			0.0		0.2		٠. ف		s.	0
0.0			7.0		6.9		- -		o	•
0.0			0.0		9.0		 		0.015	3
	1		•		2	L	7.5		15.0	. S.
			<u>.</u>	•	R	1	¥		4.2	3 9
				v	- - - - -	t				
!			9		9		37.		<u> </u>	=
			3		276		1700		153	212
	1		-	l	1.1	9.0	19.1	i i	9.1	-
		0.7		•	 				•	
(at) morne					3					
Dichloraphonel (ppb)					2	•	•			2.1
Chlorocalline (ppb)										

All results in pan unless etherwise motest Blacks indicate persenter not anyly200.

- indicates below detection limits.

MCA _150827

8-14

TABLE 8-8: AMALYSIS OF EMOLMALARY SAMPLES FROM THE IEPA MUNITURING MELLS (COLLECTED 3-10-81 - 3-11-81)

2021 30000	1919	•				3				1			:	:
The Training										5			-	١,
	•	•	;	Š		,			ľ	t:	•	ì	3	2
					•					<u>.</u>		- i		• ·
The season	3			3		8	e e	ğ.	8		8.8	8		0
-	•	-	<u>-</u>	~	~ •	3	ø	_	~	- •	<u>-</u>	<u> </u>		0.0
	~.	.		<u>.</u>	o	9.5	ø	•	~	9.0	-	•		_
Codelina	•	•	- - -	0.0	•	•	•	5	•	0.0	=	0		3
Calcium	M	E	=	2	E C	521			-	E	E		2	-
2	2	Z	7	•	23	7	7		~	9	9	•		
21212	4	Z	7	2	2	9	X		: S	Z	2	. 4	=	. <u>-</u>
Chresten (Total)	0.0	0.0	9	ō.	9	9	•	9	9	0.0	0	0	•	9
Central	3	3	8	8.0	3	9		6	0.0	29	9	0.0		4
Cyantee	9	-	9.9	9.0	-	9	١		-	9		0		0.0
Hardners	ĩ	3	23	3	*	5	8	1	5	1651		Ş	7	
=======================================	-		•	0.0		6.7	i	-	0.0	-		D. 2	!	9
3	0.0	•	0.0	•	0.0	8		•	0.0	0		0.0		0
Negnes tun	~: X	77.5	4.5	7	7	7.5		•	22.3	2		31.0	_	~
Provident	6.5	7.2	1.6	19.9	27.7	1.62		2	9	2.2	1	1.00		7
Mercury	•	•		•				2	•	3	2			
Hickel	o. •	~	=	o. 0	~	•		•	-	123	,	0.0		9
Hitrate-Witrite	•	-:	•	2.3	•			•	-		21	7.7		0.7
ī	•	•	•	6.9	•	6.7	•	•	0 .	7.		•		9
Phone I Ics	0.0	•	6 .98	0.0	•	0.0		_	-	7.	•	0.0		9
Pospherus	9.0	8	0.63	9.05	- 10	-	6	=	9.0	2:2	9.0	10.0		0
Potassian	0 .	9	7.0	5.9	•	5.7	∼	-	18.2	7.	6.3	5.3	•	9
51812	•	•	6.00 0	96.9	•	•	•	•	8	8.0	0.010	0.00	_	0
Stiver	ē.	3	•	•	8 .0	•	ø	3	0	•	0.0	0.0		0
2015	=	3	9.59	17.4	51.2	9 . %	*	*	~ %	15.1	14.2	15.5	•	9
35125	111	617	16	Ē	3	3	E		2	E.R.	5	121	7	L
7.100	- :	•	7.	 •		-	ď	_	3	6 .3	=	 	_	=

OTE: All results in par unless atherwise mater Blanks indicate personter met analyzed. - Indictes below detection limits.

MCA (156828

MCO

7683613

8-15

was 6.3, 4.1, and 4.6 during the three sampling events. This indicates an unidentified source was releasing acid to the groundwater. Other wells which exhibited significant inorganic contamination include G102, G103, G105, and G106, all of which are located adjacent to CS-B along the west side. The data indicates non-uniform ground water contamination in the area, likely resulting from a variety of pollutional sources.

Private wells in the area have been periodically sampled by the IEPA and the USEPA. These wells are no longer used for potable water, but they are used for watering lawns and gardens. Locations of private well samples in the Dead Creek area are shown in Figure 8-2. sampled five residential wells and collected one basement seepage sample near Creek Sectors B and C. Analytical data for these samples are presented in Table 8-9. G504, located east of CS-B on Judith Lane, exceeded the standard for copper. The wells all showed water quality similar to that found in IEPA monitoring well G108, indicative of background conditions in the area. The basement seepage sample was collected from a residence on Walnut Street, just east of Site M. Analysis of this sample indicated higher levels of barium and copper, when compared with the private well samples. The seepage sample (x301) also showed a measurable level of chlordane, which was likely due to the application of commercial pesticides.

In March, 1982 the USEPA collected ground water samples from four private wells (SO1, SO2, SO3, and SO6) and two IEPA monitoring wells (SO4 and SO5). Ground water samples SO4 and SO5 correspond to IEPA monitoring wells 6102 and G101 respectively. In addition, soil samples (SO7 S10, S11) were collected from three gardens where well water is used for watering. Soil Samples SO7, SO10, and SO11 were collected from gardens at the locations of ground water samples SO1, SO2, and SO3 respectively (see Figure B-2 for approximate sample locations). Water and soil blank samples, RO9 and R12 respectively, were also collected and analyzed. Analytical data for these samples are presented in Tables B-10 and B-11.

MCA 1150829

TABLE 8-9: ANALYSIS OF RESIDENTIAL WELL AND SEEPAGE SAMPLES COLLECTED BY IEPA

CAMDI	F	DATES	AND	LOCATIONS	

PARAMETERS	9/16/80 G501	9/16/80 G502	9/16/80 G503	9/23/80 6504	6/8/83 G505	1/5/83 x301
Arsenic	0.008	0.004	0.001		0.01	0.0.7
Barium	0.2	0.16	0.39	0.05	0.4	1.1
Boron	0.28	0.27	0.25	0.58	0.4	0.3
Cadmium Chromium		-1-2-				
Copper	0.02			0.06	0.01	0.03
Iron	4.6	19	17.7	0.73	26	31
Lead						0.63
Magnesium	33	39	36	30	35.3	54
Manganese	1.02	1.26	0.79	0.65	3	1.49
Mercury				0.0001		
Nickel				0.02		0.1
Phosphorus				0.02	0.62	1.2
Potassium Silver	6.6	5.7	4.5	6	6.2	6.4
Sodium	21	24	12	26	15.2	19
Zinc	0.85		0.18	0.8		0.7
PCBs	•	•	-			• • •
Chlordane (ppb)	•	•	-	•		0.13

NOTE: All results in ppm unless otherwise noted Blanks indicate below detection limit

- Indicates parameter not analyzed Sample x301 was collected from basement seepage

MCA 0150830

TABLE B-10: ANALYSIS OF IDENTIFIED ORGANICS IN GROUND WATER AND SOIL SAMPLES IN THE VICINITY OF CREEK SECTOR B (COLLECTED BY USEPA 3-3-82)

	†	······································			SA	MPLE LOC	MOLTA	and the second s			
	l			Gr <u>oun</u>	Water				So	i)	
PARAMETERS	S01	S 02	263	504	S05	S06	R09	507	S010		R012
bis(2-ethylhexyl) phthalate	64	62		TO STATE OF THE PARTY OF THE PA	19	a		1			0.44
di-n-butyl phthalate		à	à	à	11	2		!		à	à
diethyl phthalate	a	a	a	a			à	1			_
3,4 benzofluoranthene	a							1			
benzo(k) fluoranthene	a							ĺ			
butyl benzylphthalate				a			à	1			
methylene chloride	16	16	2300	3100	990	2000	19	1	0.1		0.75
1,2-dichlorobenzene				a							_,,,
1,4-dichlorobenzene				a				1			
chlorobenzene				4	4						
heptachior				0.1lb	0.146			ł			
bet a-BHC				0.1 <u>8b</u>	0.3b	4.04b		j			
g amma - BHC				0.166	0.25b						
alpha-BHC					О.18Ь	0.25b					
aldrin				0.17b							
dieldrin					•			0.012	'n	.0046	
chlordane									0.11b	.004-	
heptachlorepoxide						1.46b			0.220		
delta-BHC						0.95Ь					
fluoranthene							a			a	
benzo(a) anthracene										a	
anthracene							a			_	
pyrene							ā			a	
Chrysene							_ [ā	0.02ь

NOTE:

All results in ppb

Blanks indicate below detection limit

a - Compound detected at value below specified contract detection limit

(compound identified as present, but not quantified)

b- value not confirmed by GCMS Samples RO9 and RO12 are water and soil blanks, respectively

MC O

.

TABLE 8-11: INDREAMIC AMALYSIS OF GROUND WATER AND SOIL SAMPLES IN THE VICINITY OF CREEK SECTOR B (CRLECTED BY USEPA 3-3-02)

			SECOND	MATER . to bed						
PARMETERS	3	3	S	5	ş	3 5				MO12
Act lessy		•	2		2	1,266	2	200	R	ı
Arsenic	=			2			-	-		
25.7.2.5 25.7.3.5							8	8	8	
Beren	10,500	30,00	008	1.800	3	911	-			
	4.7	PÍ.	F	C		1.2	90°L	1.64	0.23	
17.43	* 3	2	2	x			2.2			3.2
	3 5	2	1	: ;	;	į	=	≈	=	
100	23	<u>;</u>	¥ ×		3=	<u> </u>	25	3	9 (
Hospanese Mercen	1,600	8 1.1	88.	s, 108	3	8	221			
Becom y	6.7	T .	•	0.2	0.1					
202				٠			6.5	5.5	•	
Silver										
Venedic		;	;				- <u> </u>		~	
7	8 2 2	8.5	46.00		-					

E: Blanks indicate below detaction limits
() - Assults did mat meet USEPA Quality Control critoria - Data unreliable

• Ouplicate analysis performed by USEPA central regional laboratory
Samples NO9 and NO12 are unter and sail blanks

MCA - 156832

MCO 7683617

B-19

Quantified levels of bis-(2-ethylhexyl) phthalate were found in wells SO1, SO2, and SO5. In addition, seven compounds from the pesticide fraction were detected in Wells SO4, SO5 (IEPA wells), and SO6. Diethyl phthalate, butyl benzylphthalate, and methylene chloride were detected in the water blank, indicating that values of these parameters found in other samples should be disregarded. Methylene chloride was used to decontaminate sampling equipment, and concentrations of this parameter in all samples should not be considered indicative of aquifer conditions. Water quality standards for lead and cadmium were exceeded in one or more wells.

The soil samples showed trace levels of chlordane and dieldrin. It could not be determined if levels of pesticides found in the gardens soils were attributable to the use of well water or application of commercial pesticide products to the gardens. Phthalates, methylene chloride, chrysene, and chromium were detected in the soil blank (RO12), and these compounds should be disregarded in other samples.

In September and October, 1980 IEPA conducted preliminary air The survey included use of detector tubes monitoring in CS-8. (Drager) for halogenated hydrocarbons, and collection of air samples in charcoal tubes with subsequent laboratory analysis. The detector tubes showed positive readings for hydrocarbons in the northern portion of CS-B, adjacent to the former Waggoner Building. were not quantified, and negative readings were observed in all other areas surveyed. Air samples were collected from two locations in CS-B using charcoal tubes and sampling pumps. Two samples were collected from each location in order to monitor conditions for undisturbed and disturbed soil. Samples from the first location, 40 yards south of Queeny Avenue, showed no positive readings for volatile organic compounds (VOCs) for disturbed or undisturbed soil conditions. Xylene was detected for disturbed and undisturbed soil conditions at the second sampling location, which was 60 yards north of Judith Lane, adjacent to Site M. All samples were extracted and analyzed at IEPAs Springfield Laboratory.

MCA LOOKES

B-20

A USEPA Field Investigation Team (FIT) contractor also performed an air monitoring survey in the creek bed in March, 1982. This survey involved the use of an organic vapor analyzer (OVA), an HNU photoionizer, and Drager detector tubes for phosgene gas. indicated that a small, but measurable, concentration of organic vapors were present in the breathing zone (5 feet above ground surface), with concentrations increasing closer to the creek bed. In the breathing zone, the OVA showed readings up to 0.5 ppm above background, and the HNU readings were as high as 9 ppm above background. The survey crew also observed a 3-inch effluent pipeline adjacent to the former Waggoner Building which was discharging a small stream of oily liquid. OVA and HNU readings were taken approximately 6 inches from the surface where this liquid had pooled. The OVA showed concentrations up to 350 ppm, and the HNU showed concentrations ranging from 400 to 900 ppm in this area. Phospene gas was not detected in any area using the Drager tubes.

HRS scores have been calculated on two separate occasions for Dead Creek. The creek was first scored in July, 1982, by Ecology & Environment, Inc., with a final migration score of 18.48. The site was again scored in March, 1985 by IEPA in an attempt to increase the previous score. IEPAs assessment led to a final score of 29.23, however, this score has not been finalized by USEPA. Route scores for the 1982 assessment were as follows: ground water 4.24, surface water 7.55, and air 30.77. Corresponding route scores in the 1985 assessment were 5.65, 10.07, and 49.23. Observed releases were used for all route scores in both the 1982 and the 1985 scoring packages. The only difference in the assessments was in the value assigned for waste quantity in the three routes. The 1982 package listed waste quantity as unknown (assigned value - 0), while IEPA calculated an approximate volume of waste based on sample results and visual observations.

A significant amount of data has been developed showing a wide range of contaminants in and around CS-8. Review of existing file data indicates numerous possible sources of contamination in the area.

B-21

MC0 7683619

MCA -156834

Prior to blocking the culvert at Queeny Avenue, Cerro Copper and Monsanto Chemical reportedly discharged process wastes directly into the creek. According to past IEPA inspection reports the former Waggoner Company, an industrial waste hauling operation, discharged wash waters from truck cleaning activities directly to CS-B. IEPA order Waggoner to cease this practice, an unlined surface impoundment was apparently used for disposal of wash water. 1940s and 1950s sites H and I were used for disposal of various These sites were actually a single, large industrial wastes. disposal area prior to the construction of Queeny Avenue in the late 1940s. In the 1950s, the Midwest Rubber Company, located west of State Route 50 and south of Queeny Avenue, had an effluent pipeline which ran from their plant location to the northern portion of CS-B. Midwest Rubber Co. reportedly discharged process wastes, including oils and cooling water, to the creek. Site G is a surface/subsurface disposal area with corroded drums and other wastes exposed on the surface. Surface drainage for at least a portion of this site is directed to CS-8.

Data Assessment and Recommendations

The scope of field investigation work for CS-B during the Dead Creek Project includes collecting three surface water samples from the Creek in Sector B. This sampling program should be sufficient to characterize the water currently in the creek. Soil gas and ambient air monitoring will also be done in and around CS-B.

Although a great deal of data is available for CS-B, most of the data is 4-6 years old. Because of the dynamic nature of the creek and disposal activities in the area, existing conditions may not be accurately characterized by historical sampling data. Feasibility study activities for CS-B could be accomplished using existing data and applying assumptions concerning chemical profiles (contaminant distribution). However, to properly accomplish the feasibility study activities, a current chemical depth profile of the creek bed should be developed. This would consist of collecting

MC# -156835

sediment and subsurface soil samples from several locations in the creek bed and along the banks. The hydrology of the area has not been well-defined and should be addressed further. It has not been established whether the ground water discharges to Dead Creek or the creek acts as a recharge conduit for the Henry Formation aquifer. If discharge to the creek is occurring, the subsurface disposal areas (Sites H and I in particular) may be major contributors to the contamination of the creek.

Accordingly, existing IEPA monitoring wells on both sides of the creek should be redeveloped to allow for accurate water level measurements. This, in conjunction with detailed surveying of the creek bed and water levels in the creek, would allow adequate assessment of the hydrology in the area. This would be best accomplished using continuous-recording water level instrumentation, and should be continued over a period of time sufficient to address seasonal fluctuations. In addition, records of industries in the area should be thoroughly reviewed to establish a profile of possible releases from each source.

MCA 0156836

B-23

servine material: Monsanto Insurance Coverage Litigation

MLA 0156837

SITE M. HALL CONSTRUCTION PIT

Site Description

Site M is a sand pit excavated by the H.H. Hall Construction Company in the mid to late 1940's. The pit is located immediately east of Dead Creek, and approximately 300 feet north of Judith Lane in Cahokia, Illinois (Figure M-1). The dimensions of the pit are approximately 275 by 350 feet. Presently, Site M is enclosed by a chain link fence, which also surrounds Creek Sector B. residential area is located just east of the pit on Walnut Street. which earlier served as an access road to Site M. The pit was excavated prior to any residential development on this street. Observations suggest that the pit is apparently isolated from Dead Creek by an embankment; however, this embankment may not be continuous. Aerial photographs indicate that a small break in the southern part of the embankment may allow flow between the creek and This possibility is supported by past IEPA inspections. indicating discoloration in the pit similar to that observed in Dead Creek.

Site History and Previous Investigations


No information is available on file concerning waste disposal activities at Site M. It is possible that disposal did occur, since access to the pit remained unrestricted until a snow fence was erected in 1980. From review of historical aerial photographs, it is evident that minor changes in the dimensions of the pit have occurred. This could be an indication of filling around the perimeter of the pit. IEPA and the Cahokia Health Department have received numerous complaints about Site M and the creek from residents in the area. These complaints address, for the most part, seepage of odoriferous water into basements and problems associated with well water used to water gardens and lawns.

IEPA sampled several private wells in the area during the preliminary

MCA -156838

M-1

MCG 7683623



LECENO

G105 EPA HONITORING WELL X124 IEPA SEDIMENT SAMPLING LOCATION

MEPA SURFACE WATER SAMPLING LOCATION 5502

FIGURE H.1 DEAD CREEK SITE AREA H WITH SAMPLING LOCATIONS

MCA 156839

M-2

MCG 7683624 -

hydrogeological study conducted in 1980. In addition, one sample of basement seepage from a home on Walnut Street near Site M was collected. Analytical results of these samples are presented in Table 8-9, located in the Creek Sector 8 portion of the report. The results show concentrations of copper, manganese, and phosphorus above the state's water quality standards in one or more wells as well as in the basement seepage sample.

In conjunction with the creek sampling done in 1980, IEPA collected sediment and water samples from Site M. Analytical data for these samples are presented in Table M-1. In general, the water samples showed no significant contamination, although water quality standards for copper, phosphorous, and zinc were exceeded. Trace levels of PCBs (0.9 to 4.4 ppb) were found in both samples. The sediment samples, however, did show fairly high levels of several contaminants, including cadmium, chromium, copper, lead, nickel, zinc, and PCBs. In general, the samples closer to the break in the embankment separating Site M from Dead Creek showed higher levels of contaminants than the other samples.

Because water levels in the pit were approximately two feet higher than those found in the closest monitoring wells, the IEPA study concluded that there is no hydrological connection between water in the pit and the ground water aquifer. This assessment may or may not be accurate.

Data Assessments and Recommendations

The IEFA study conducted in 1980 showed significant contamination at Site M and identified specific waste types present. Investigation of Site M for the Dead Creek Project includes collecting two surface water and three sediment samples. A soil gas survey and ambient air monitoring will also be conducted at Site M. This sampling program will not provide sufficient data to adequately evaluate remedial alternatives. Core samples should be collected from the bottom of the pit in order to determine the types of wastes present and the

M-3

MCD 7683625

TABLE M-1:

ANALYSIS OF SURFACE WATER AND SEDIMENT SAMPLES FROM SITE M
(COLLECTED BY IEPA 9-15-80)

SAMPLE LOCATIONS

Alkalinity 80 85 Arsenic 0.006 0.01 Barium 0.2 0.5 4,400 3 Berylium 3 BOD-5 4 33 Boron 0.2 0.2 - Cadmium - 40 Calcium 12,500 4, COD 58 85 Chloride 27 28 Chromium - 150 Copper 0.035 0.33 18,700 4, Cyanide 0.4 0.4 Iron 0.8 1.8 49,000 13, Lead - 0.01 1,400 Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200	50 1 25 4
Alkalinity 80 85 Arsenic 0.006 0.01 Barium 0.2 0.5 4,400 3 Berylium 3 3 3 3 Boron 0.2 0.2 - - 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40	50 1 25
Arsenic 0.006 0.01 Barium 0.2 0.5 4,400 3 Berylium 3 BOD-5 4 33 Boron 0.2 0.2 - Cadmium - 40 Calcium 12,500 4, COD 58 85 Chloride 27 28 Chromium - 150 Copper 0.035 0.33 18,700 4, Cyanide 0.02 - Flouride 0.4 0.4 Iron 0.8 1.8 49,000 13, Lead - 0.01 1,400 Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury Nickel 0.02 0.05 1,600	1 25 4
Barium 0.2 0.5 4,400 3 Berylium 3 3 3 Boron 0.2 0.2 - Cadmium - 40 40 Cadmium - 40 40 Calcium 12,500 4, COD 58 85 5 Chloride 27 28 28 Chromium - 150 20 Copper 0.035 0.33 18,700 4, Cyanide 0.02 - 3 49,000 13, Flouride 0.4 0.4 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400 1,400	1 25 4
Berylium 3 BOD-5 4 33 Boron 0.2 0.2 - Cadmium - 40 Calcium 12,500 4, COD 58 85 Chloride 27 28 Chromium - 150 Copper 0.035 0.33 18,700 4, Cyanide 0.02 - Flouride 0.4 0.4 1.8 49,000 13, Lead - 0.01 1,400 3,400 3, Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - - Nickel 0.02 0.05 1,600	1 25 4
800-5 4 33 Boron 0.2 0.2 Cadmium - 40 Calcium 12,500 4, COD 58 85 Chloride 27 28 Chromium - 150 Copper 0.035 0.33 18,700 4, Cyanide 0.02 - Flouride 0.4 0.4 1.8 49,000 13, Lead - 0.01 1,400 3,400 3, Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - - Nickel 0.02 0.05 1,600	25 4
Boron 0.2 0.2 - Cadmium - - 40 Calcium 12,500 4, C00 58 85 Chloride 27 28 Chromium - - 150 Copper 0.035 0.33 18,700 4, Cyanide 0.02 - - Flouride 0.4 0.4 - Iron 0.8 1.8 49,000 13, Lead - 0.01 1,400 Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - - Nickel 0.02 0.05 1,600	4
Cadmium - - 40 Calcium 12,500 4, COD 58 85 Chloride 27 28 Chromium - - 150 Copper 0.035 0.33 18,700 4, Cyanide 0.02 - - Flouride 0.4 0.4 - Iron 0.8 1.8 49,000 13, Lead - 0.01 1,400 Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - - Nickel 0.02 0.05 1,600	4
Calcium 12,500 4, COD 58 85 Chloride 27 28 Chromium - - 150 Copper 0.035 0.33 18,700 4, Cyanide 0.02 - Flouride 0.4 0.4 Iron 0.8 1.8 49,000 13, Lead - 0.01 1,400 Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - - Nickel 0.02 0.05 1,600	•
COD 58 85 Chloride 27 28 Chromium - - 150 Copper 0.035 0.33 18,700 4, Cyanide 0.02 - Flouride 0.4 0.4 Iron 0.8 1.8 49,000 13, Lead - 0.01 1,400 Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - Nickel 0.02 0.05 1,600	ENN
Chloride 27 28 Chromium - - 150 Copper 0.035 0.33 18,700 4, Cyanide 0.02 - - Flouride 0.4 0.4 - Iron 0.8 1.8 49,000 13, Lead - 0.01 1,400 Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - Nickel 0.02 0.05 1,600	200
Chromium - - 150 Copper 0.035 0.33 18,700 4, Cyanide 0.02 - - Flouride 0.4 0.4 - Iron 0.8 1.8 49,000 13, Lead - 0.01 1,400 Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - - Nickel 0.02 0.05 1,600	
Copper 0.035 0.33 18,700 4, Cyanide 0.02 - - Flouride 0.4 0.4 - Iron 0.8 1.8 49,000 13, Lead - 0.01 1,400 Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - Nickel 0.02 0.05 1,600	
Cyanide 0.02 Flouride 0.4 Iron 0.8 Lead - Magnesium 6 6 3,400 3, Manganese 0.06 Mercury - Nickel 0.02 0.05 1,600	50
Flouride 0.4 0.4 Iron 0.8 1.8 49,000 13, Lead - 0.01 1,400 Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - Nickel 0.02 0.05 1,600	500
Iron 0.8 1.8 49,000 13, Lead - 0.01 1,400 Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - Nickel 0.02 0.05 1,600	
Lead - 0.01 1,400 Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - - Nickel 0.02 0.05 1,600	
Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - - Nickel 0.02 0.05 1,600	500
Magnesium 6 6 3,400 3, Manganese 0.06 0.82 200 Mercury - - Nickel 0.02 0.05 1,600	130
Manganese 0.06 0.82 200 Mercury - - - Nickel 0.02 0.05 1,600	500
Mercury Nickel 0.02 0.05 1,600	80
Pheno: 0.01 0.01	590
(0.01 0.01	
Phosphorus 0.17 0.31	
	000
Silver - 30	6
	100
Strontium 175	27
Vanadium 42	19
Zinc 0.1 0.7 17,700 2,6	500
PCBs 0.0009 0.0044 1,100	24
Dichlorobenzene	67

NOTE: All results in ppm.

Blanks indicate parameter not analyzed.

- Indicates below detection limits.

MCA (156841

extent of vertical migration of contaminants that has occurred. In addition, several borings should be completed around the perimeter of the pit, including the embankment between the pit and the creek. It would also be necessary to verify that there is no hydrological connection between the water in the pit and the ground water aquifer. This would be best accomplished using continuous recording gauging stations at wells in the vicinity of the creek and at the pit. These activities would provide the information necessary to proceed with a viable remedial program.

MCA (156642

M-5

